

GORDP005US

CLAIMS AMENDMENTS

Please amend claims 1 and 9 as shown below. All other claims are unamended.

1 1. (currently amended) A method for recording photographs in
2 connection with the firing of a firearm, comprising the step of:
3 saving photographic images of a target based on detecting an
4 actual discharge of live ammunition from the firearm toward said
5 target.

1 2. (previously presented) The method of Claim 1, said
2 detecting said actual discharge comprising detecting a recoil of
3 the firearm.

1 3. (previously presented) The method of Claim 1, said
2 detecting said actual discharge comprising detecting a sound of
3 the firearm discharging.

1 4. (previously presented) The method of Claim 1, further
2 comprising the step of using a firearm scope for saving said
3 photographic images and detecting said actual discharge.

1 5. (previously presented) The method of Claim 4, further
2 comprising the step of attaching and detaching said firearm scope
3 to and from said firearm.

1 6. (previously presented) The method of Claim 4, further
2 comprising the step of providing the firearm with said firearm
3 scope integral thereto.

1 7. (previously presented) The method of Claim 1, further
2 comprising the step of using the firearm for saving said
3 photographic images and detecting said actual discharge.

1 8. (previously presented) The method of Claim 1, further

GORDP005US

2 comprising the step of additionally saving said photographic
3 images based on determining a travel time of said live ammunition
4 to said target.

1 9. (currently amended) A photographic firearm apparatus,
2 comprising:

3 discharge detecting means for detecting an actual discharge
4 of live ammunition from a firearm toward a target;

5 image saving means for saving photographic images of said a
6 target based on said detecting said an actual discharge.

1 10. (previously presented) The apparatus of Claim 9, said
2 discharge detecting means comprising an acceleration detector for
3 detecting a recoil of the firearm.

1 11. (previously presented) The apparatus of Claim 9, said
2 discharge detecting means comprising an acoustic detector for
3 detecting a sound of the firearm discharging.

1 12. (previously presented) The apparatus of Claim 9, wherein
2 a firearm scope comprises said photographic firearm apparatus.

1 13. (previously presented) The apparatus of Claim 12, wherein
2 said firearm scope is attachable to and detachable from the
3 firearm.

1 14. (previously presented) The apparatus of Claim 12, wherein
2 said firearm scope is integral with the firearm.

1 15. (previously presented) The apparatus of Claim 9, wherein
2 the firearm comprises said photographic firearm apparatus.

1 16. (previously presented) The apparatus of Claim 9, further
2 comprising:

3 travel time determination means for determining a travel

GORDP005US

4 time of said live ammunition to said target; and
5 said image saving means additionally for saving said
6 photographic images based on said determining said travel time.